


The WJZ Radiophone Broadcasting Station at Newark, N. J.



The photograph on the left shows the sending set installed in a special room of the Westinghouse building. The receiving set on the table is used to receive the news which is immediately broadcasted by phone; also, the Arlington time signals. Below is a view of the transmitting set entirely enclosed in a grounded cage.


at the left of this same photograph. Two 250-watt three-electrode vacuum tubes are used as oscillators, and three somewhat similar but specially designed high-impedance tubes modulate the radio frequency currents generated by the other pair. The antenna, counterpoise, grid and plate leads are all connected in the splitcoil oscillation circuit to the flat spiral inductance illustrated on top of the radio set. This coil has 21 turns of $\frac{3}{8}$ " x $\frac{1}{2}$ " flat copper strip mounted on micarta spokes, and is grounded at the minimum potential point nearly midway between antenna and counterpoise.

The oscillator and modulator tubes run on 2,000 volts direct current, which is produced by a single-commutator generator driven by a direct-connected 2-phase 60-cycle 5-h.p. motor. Special filter circuits are provided to suppress the commutator hum of this machine, with the result that outgoing speech and music is heard with very little extraneous noise from the dynamo. The filaments of the five large tubes are lighted by alternating current at 10 volts, this being drawn from a divided-circuit transformer of small capacity; in this circuit again it has been found necessary to provide a grounded filter arrangement to eliminate the foreign noise of the 60 cycle alternating current used.

The three modulator tubes are connected on the plate-modulation plan, and are supplied with voice-frequency current from a speech amplifier containing two 50-watt three-element vacuum tubes. An ingenious arrangement compensates for the inherent distortion which is so often found when vacuum tube transmitters are operated at full power for radio telephony, and the clarity of the speech and music sent out from WJZ is limited only by the characteristics of the standard long-distance wire line microphones used to pick up the sound waves and transfer them in electrical form to the speech amplifier.

Since the antenna is normally operated at a wave-length (360 meters) on which it shows comparatively high radiation resistance, the usual antenna current is only 5.5 amperes. At a total antenna resistance of 16 ohms this represents an aerial circuit power of nearly 500 watts, a large percentage of which is actually radiated.

(Continued on page 552)



FOR the past few months radio experimenters within a few hundred miles of New York have been receiving nightly concerts, news reports, radio lectures and other special features from "WJZ," the radio telephone plant of the Westinghouse Electric & Manufacturing Co. at Newark, New Jersey. In fact, the radio waves from this new station have traveled to far greater distances, and letters expressing appreciation of the programs have been received from points as far away as Florida, Canada, Wisconsin, and six hundred miles out to sea. Never before has a radio telephone station sent out broadcast, on a regular schedule day after day, so complete and satisfactory a musical and bulletin service; as a result of this, literally thousands of new receivers are being put into operation every week, and a tremendous interest in radio telephony has been aroused.

The Newark station is located upon the roof of the Westinghouse factory building at Plane and Orange streets, near the Lackawanna Railroad station in Newark. The antenna and counterpoise are supported between a steel stack which extends 114 feet above the roof level and a special 60-foot mast mounted on top of the building about 150 feet from the stack. The aerial consists of four wires equally spaced on 20-foot spreaders; the counterpoise is identical, but instead of swinging from the tops of the stack and the mast is mounted about 20 feet above the roof. Thus the effective separation of the two sections forming the radiating system is about 94 feet at one end and 40 feet at the other, giving a net effective height of about 65 feet. Six-wire cage downleads run from both parts of the aerial to the radio station, which is in a special building on the roof, and are connected through double-throw grounding switches. The natural wave-length of the antenna-counterpoise structure is not far from 500 meters, so that for transmission on 360 meters (the normal operating wave-length for broadcasting) series condensers of 0.0005 microfarad are inserted in each connection. These are clearly shown directly below the lead-in insulators in the illustration of the interior of the station.

This is the studio where the artists sing and play. It is installed on the first floor of the building and a remote control system, which may be seen on the wall, enables the operator to control the set from this room.



The radio telephone transmitter is shown

SAVE MONEY ON YOUR "B" BATTERIES

FROM MANUFACTURER TO USER
ALL BATTERIES SENT POSTPAID

Buy direct
from the
manufac-
turer and
receive a
Fresh
Battery



All
Wizard
Batteries
are
absolutely
guaranteed

ANNOUNCING WIZARD'S 2 NEW IMPROVED TYPE "B" BATTERIES

No. 1632—1 tap 45 Volt Var. Battery.
Size 6x5x2 3/4 in. Price \$2.80
(Weight 3 3/4 lbs.)

No. 1630—6 tap 27 Volt Var. Battery.
Size 6x3x2 3/4 in. Price \$1.80
(Weight 2 1/2 lbs.)

These new types are not made of the same size cells as a small size "B" Battery. The volume of one of the cells in these types is 4.7 cu. inches as compared with 2.5 cu. inches, the volume of a cell used in small "B's". You can easily see that the life of these two types are almost double the life of the small "B's".

OTHER WIZARD TYPES

Cat. No.	Size	Tap	Volt- age	Weight	Price
1623 Plain	2 1/2 x 2 3/4	5	22 1/2	1 lb.	\$1.00
1623 Variable	2 1/2 x 2 3/4	5	22 1/2	1 lb.	1.25
1625 Plain	3 x 2 1/2	5	22 1/2	5 lbs.	1.85
1625 Variable	3 x 2 1/2	5	22 1/2	5 lbs.	2.25
1626 Plain	3 x 2 1/2	6	45	10 lbs.	3.75
1626 Variable	3 x 2 1/2	6	45	10 lbs.	4.15

Write for Bulletin No. 6

Send all money orders to

WIZARD BATTERY CO.

1315 42nd St. Brooklyn, N. Y. Dept. R

pedo, and left on this point a sufficient time to allow the time device to close the local circuit, as explained previously; after this it is pushed on the next dead point.


As may be understood, the blade H in the selector moves always in the same direction, as well as the handle of the controller, making it possible to have both controls in synchronism at any time. In Fig. 2, the connected points of the controller, intermediated between the dead points and bearing no indication of control, correspond to the unused point in the switch of the selector, this being only for the sake of clearness in the diagrams.

The WJZ Radiophone Broad- casting Station at Newark, N.J.

(Continued from page 482)

On 600 meters wave-length the antenna resistance drops to a point which permits an aerial current of 12 amperes. The output power is quite fully modulated.

Not the least interesting feature of the station lies in the completeness with which its details have been worked out. The com-



The Midget "FIVE-IN-ONE" Slide Rule is a combination Mannheim, Log-Log, Add and Subtract, Polyphase and Binary Slide Rule. It will instantly add, subtract, multiply and divide any combination involving whole numbers, fractions, decimals and mixed numbers. Gives every possible root and power of every quantity. The graduations are printed on metal coated with white celluloid and are grease and waterproof. While it is the most versatile calculator ever invented, its operation is simple and easily understood. Diameter 4".

Price with 16-page Instruction Book, \$1.50. Leatherette carrying case 50c extra. Catalog free. Your money back if you are not satisfied.

Gilson Slide Rule Co., Niles, Mich.


plete radio transmitter is enclosed in metal screening and glass, and a blower is provided to hold the tube temperature at the best operating value. A switchboard is mounted on the right-hand side of the transmitter so that the set may be connected to the station microphone for announcements, etc., to the shielded pick-up device used for phonograph reproductions, or to the studio which has been built on the first floor of the factory building for concert work. A completely interlocked light-signal and switch system has been arranged for control of the set from the studio, where special microphones for transmission of vocal, piano-forte and other instrumental music are installed.

The radio station is also equipped with a standard Westinghouse medium wave receiver, with a wave-length range of 150 to 2,300 meters wave-length. After the nightly musical program, which runs from 8:30 to 9:15 p. m., the 9:55-10:00 time signals from Arlington are received on this outfit, using a long single-wire antenna, and transferred electrically to the radio telephone transmitter. Thus the time-signals themselves, with the characteristic spark tone of Arlington "NAA," are retransmitted on 360 wave-length for the benefit of listeners having short-wave receivers. Obviously there is no appreciable time lag in this retransmission, and consequently accurate Naval Observatory time is made available in the amateur wave-length range. At 10:03 each evening a weather forecast is sent out by radio telephone.

The Westinghouse Company also maintains complete radio telephone broadcasting plants at its East Pittsburgh, Penna., and East Springfield, Mass., factories. These stations operate on schedules similar to that of Newark; other stations are being installed to serve other sections of the country, and one at Chicago has just been opened. The service is being extended in point of time and character, also, so that before long the owner of a small radio receiver will be able to enjoy in his own home, anywhere in the United States, a complete program of concerts, news and weather dispatches, market reports, church services, and even selections direct from the stages of the theatres.

W. J. Z. WEEKLY BROADCASTING PROGRAM Monday

10:00-10:15	Résumé of the news of the day, musical selections.
10:55-11:00	Weather forecast for New York and New Jersey.
11:00-11:15	Musical program.
12:00-12:15	Résumé of the news of the day, musical selections.
1:00-1:15	Résumé of the news of the day, musical selections.
2:00-2:05	Musical program.
2:05-2:10	Marine news.
2:10-2:20	Musical program.
3:00-3:15	Résumé of the news of the day, musical selections.
3:55-4:00	Weather forecast for New York and New Jersey.
4:00-4:15	Musical program.
5:00-5:15	Résumé of the news of the day, musical selections.
6:00-6:15	Résumé of the news of the day, musical selections.
7:00-7:45	Miscellaneous program.
7:45-7:50	Broadcasting of suppliers of receiving equipment.
7:55-8:03	Tuning for regular evening program.
8:05-9:15	General news, résumé of football games, music and artists.
9:55-10:00	Arlington time.
10:03-10:06	Weather forecast for New York and New Jersey.
10:06-10:07	W. J. Z. Good night.
Tuesday	
10:00-10:15	Résumé of the news of the day, musical selections.



"MARVEL" Complete Receiving Outfit An Ideal Christmas Present

The "MARVEL" is the best crystal Receiver at moderate price for telephone concerts, etc., amateur traffic, and long wave spark stations.

New distance records established nightly. Write for details of prize contest. The "MARVEL" RADIO RECEIVER, model 101, (Patents Applied For), is a Scientifically designed, Highly efficient single circuit tuner with a 15 contact, multipoint, rotary inductance switch, and a super-sensitive, Tested, galena crystal detector. All parts are mounted on a panel of approved insulating material. A fixed bridging condenser of 0.0025 mfd. is connected across the telephone terminals. Cabinet is of handsomely finished mission oak.

Quality Apparatus—Designed by Engineers—Popularly Priced

- 1—The ONLY crystal receiver on the market, with a wavelength range of 180 to 2600 meters.
 - 2—A completely enclosed instrument; therefore not exposed to or affected by moisture, dust, etc.
 - 3—An efficient, compact receiver, that will last as long as your station and costing less than the price of unmatched and unknown parts.
- COMPLETE "MARVEL" RADIO RECEIVING OUTFIT model 105 (as shown in picture above), consisting of a "MARVEL" RADIO RECEIVER, model 101, 150 feet solid copper antenna, 5 porcelain insulators, 1000 ohm Murdock telephone, leather-covered head-band, telephone cord, antenna switch, ground clamp, code chart, abbreviation chart, booklet of 35 lessons in Wireless and full instructions for installation and operation **\$15.00**

- Model 110. Same outfit with 2000 ohm Murdock double head set **\$18.00**
Model 115. "MARVEL" RADIO RECEIVER only, Model 101, with MURDOCK NO. 56, 2000 ohm Double headset, headband, telephone cord. Code Chart, Abbreviation Chart and Instructions, all attractively packed **\$14.00**

EFFICIENT AT LOW COST BY ENGINEERING DESIGN

"MARVEL" RADIO RECEIVERS are obtainable at all progressive Radio and Electrical Dealers, or will be sent prepaid on receipt of Postal or Express Money Order. Also sent Parcel Post C. O. D. ORDER NOW—DON'T DELAY.

LOOK FOR THE REGISTERED TRADE MARK ON EVERY GENUINE "MARVEL" RADIO RECEIVER. (PATENT APPLIED FOR) OTHERS ARE IMITATIONS

Bulletin N-101 on request.

DEALERS: "MARVEL" RADIO RECEIVERS are nationally advertised; they are the most popular of crystal receivers. Get your share of Christmas business by selling them. Liberal discounts and selling co-operation are part of our sales campaign. ORDER NOW!

RADIO MANUFACTURING COMPANY

Offices and Sales Department, 170 Fifth Avenue New York City



SPECIAL PRICES for the XMAS TRADE

Radio apparatus is a highly appreciated Xmas gift. Place your orders with us and benefit by the saving in cost. Get the same high grade equipment and more for the same money.

Every piece of apparatus we sell is "FIRST TESTED—THEN SOLD." This test by expert radio men assures you of equipment in perfect condition. Make up your list NOW.

Buy these Lines of Apparatus from Us

Remler Apparatus
Radio Corporation
Murdock Parts
Grebe CR8 and CR9
Acme Apparatus

Magnavox
Baldwin Phones
Brandes Phones
Chelsea Cond. and Dials

Tuska Apparatus
DeForest Sets
Paragon Apparatus
Clapp-Eastham Supplies


L. G. S. Products
Moorhead Tubes
Jewel Meters
Radison Cells
R. & M. Motor Generators

RADIO CITIZENS—We allow 5 percent discount on orders of \$10.00 or more and pay postage in 1st and 2nd zones. Write for prices.


PEORIA RADIO SALES CO.
Dept. B Peoria, Ill.

DEALERS—Write for our trade schedules. We represent some large manufacturers exclusively. Get our new lowest prices.

KLAUS RADIO COMPANY
Dept. 200 Eureka, Ill.



FIRST TESTED—THEN SOLD



The "QSA" Line of Radio Equipment

QUALITY in the apparatus we sell, is an essential part of our dealings with you. Here is shown a panel mounting rheostat which, from the standpoint of quality, well deserves a place in our "QSA" line. Base of Thermoplas (2½ in. dia.), polished nickel-plated pointer and new Thermoplas knob. Resistor unit wound to 6 ohms and will safely carry 1½ amperes.

A high grade rheostat, very reasonably priced, at only\$1.00 ea.

OUR CATALOG

—is now ready. You cannot afford to be without it. It lists the cream of apparatus made by the leading Radio manufacturers. Each item a leader in its class, carefully selected by our expert. Generously illustrated. Don't do any buying until you see our catalog. You'll be glad we tipped you off. Sent for 10 cents in stamps or coin. This amount will be refunded on your initial purchase amounting to \$1.00 or more.

Send for it TODAY.

A FEW "QSA" ITEMS TAKEN FROM OUR CATALOG

U.V.712 Intertube Transformer.....	\$7.00	Acme 1 K.W. Spark Transformer.....	\$28.00
U.V.201 V.T. Amplifier.....	6.50	Acme Amplifying Transformer.....	5.00
FADA Detector Comp. with crystal.....	2.25	Brandes Navy Type Phones.....	14.00
"COMBAT" 6V. 80 A.H. A real STORAGE BATTERY for RADIO WORK. This Month only at.... 21.00			

Ask for a "COMBAT" circular.

INDEPENDENT RADIO SUPPLY CO.

3716 W. DOUGLAS BLVD. Dept. R-12 CHICAGO, ILL.
"Better Results With Less Effort."


U. S. GOVERNMENT RADIO BLINKER SIGNAL SET

A model of perfection and all-around utility, officially adopted by the U. S. Army Air Service, U. S. Marine Corps and Navy Department Bureau of Steam Engineering. It is a self-contained unit, and may be operated on the table, in the lap, or in any position desired. Note detachable arm.

Special Price \$6.00

Ask your dealer or write us.

Frank B. Perry & Sons
Newton Center, Mass.
Providence, R. I.



Of high grade construction, designed for the purpose of instruction in audible or visual signals, with the International or other codes based on the dot and dash principle. It is scientifically made for efficiency, simplicity, compactness and durability.

10:55-11:00	Weather forecast for New York and New Jersey.
11:00-11:15	Musical program.
12:00-12:15	Résumé of the news of the day, musical selections.
1:00- 1:15	Résumé of the news of the day, musical selections.
2:00- 2:05	Musical program.
2:05- 2:10	Marine news.
2:10- 2:20	Musical program.
3:00- 3:15	Résumé of the news of the day, musical selections.
3:55- 4:00	Weather forecast for New York and New Jersey.
4:00- 4:15	Musical program.
5:00- 5:15	Résumé of the news of the day, musical selections.
6:00- 6:15	Résumé of the news of the day, musical selections.
7:00- 7:30	Man-in-the-moon story.
7:30- 7:45	Very soft music in harmony with man-in-moon story.
7:45- 7:50	Broadcasting of suppliers of receiving equipment.
7:55- 8:03	Tuning for regular evening program.
8:05- 9:15	General news résumé of football games, music and artists.
9:55-10:00	Arlington time.
10:03-10:06	Weather forecast for New York and New Jersey.
10:06-10:07	W. J. Z. Good night. <i>Wednesday</i>
10:00-10:15	Résumé of the news of the day, musical selections.
10:55-11:00	Weather forecast for New York and New Jersey.
11:00-11:15	Musical program.
12:00-12:15	Résumé of the news of the day, musical selections.
1:00- 1:15	Résumé of the news of the day, musical selections.
2:00- 2:05	Musical program.
2:05- 2:10	Marine news.
2:10- 2:20	Musical program.
3:00- 3:15	Résumé of the news of the day, musical selections.
3:55- 4:00	Weather forecast for New York and New Jersey.
4:00- 4:15	Musical program.
5:00- 5:15	Résumé of the news of the day, musical selections.
6:00- 6:15	Résumé of the news of the day, musical selections.
7:00- 7:45	Miscellaneous program.
7:45- 7:50	Broadcasting of suppliers of receiving equipment.
7:55- 8:03	Tuning for regular evening program.
8:05- 9:15	General news, résumé of football games, music and artists.
9:55-10:00	Arlington time.
10:03-10:06	Weather forecast for New York and New Jersey.
10:06-10:07	W. J. Z. Good night. <i>Thursday</i>
10:00-10:15	Résumé of the news of the day, musical selections.
10:55-11:00	Weather forecast for New York and New Jersey.
11:00-11:15	Musical program.
12:00-12:15	Résumé of the news of the day, musical selections.
1:00- 1:15	Résumé of the news of the day, musical selections.
2:00- 2:05	Musical program.
2:05- 2:10	Marine news.
2:10- 2:20	Musical program.
3:00- 3:15	Résumé of the news of the day, musical selections.
3:55- 4:00	Weather forecast for New York and New Jersey.
4:00- 4:15	Musical program.
5:00- 5:15	Résumé of the news of the day, musical selections.
6:00- 6:15	Résumé of the news of the day, musical selections.
7:00- 7:30	Broadcasting for benefit of radio amateurs.
7:35- 7:45	Miscellaneous program.

READ the CLASSIFIED ADVERTISEMENTS on PAGES 572-574. YOU'LL FIND MANY GOOD THINGS THERE

MEMORIZE CONTINENTAL CODE ALMOST INSTANTLY BKUMA YRLSBUG

Two Hundred Beginners in Forty-Four States Have Reported Mastered Code in 30 Minutes. In 45 Minutes. In One Hour, One Evening, Etc., Etc.

Anybody who can read can learn code quickly and easily.

Dear Sir.—To encourage beginners can say I memorized Continental Code by your Short Cut in 45 minutes and same was a great help. It is a wonderful little chart and as it has helped me so will it help others. Thanking you.

Later.—Now have a licensed station all right, and would say again sincerely hope your Chart which made Continental Code so very plain and simple may be used by many and prove as helpful as in my case.

David E. Day, Winston-Salem, N. C.
Call 4BM P. O. Box 48.

Worthless methods are advertised as best, easiest, quickest and other enticing titles. To avoid disappointment purchase no Code Memorizing Chart, Card or Device until satisfied by statement from actual user that same has proven efficient in use as well as in theory.

By Using
DODGE RADIO SHORT CUT
Beginners Do

Master the Code easily, quickly, permanently
Once threesome task—now pleasant pastime
Those Who Have Failed
after diligently trying all Methods heard of
Do succeed with Dodge Short Cut

Radio Operators Do
gain better command of the Code and consequently do increase their speed.

Morse Operators Do
change to Radio quickly, easily—no mixup.
Reports in 28-Page Booklet Do

tell the story: also give local addresses.
Send Ten Cents For Copy
and learn what others are doing. The time will apply whenever you purchase

These Reports Are
the concrete and tangible expression of desire by our highly successful students to aid and encourage present and future beginners to equally quick progress over that rocky place in the road to Amateur Success—Perfect mastery of the Code. The amateur of today will be the top notch operator of tomorrow.

INVESTIGATE
NO BEGINNER CAN AFFORD TO IGNORE quick and easy success of those who have used **DODGE ONE DOLLAR RADIO SHORT CUT WHICH TEACHES WITHOUT INSTRUMENTS AND HOLDS THE RECORD FOR SIMPLICITY, EFFICIENCY, ECONOMY AND QUICK RESULTS.**

C. K. DODGE

Box 200 MAMARONECK, N. Y.

ATTENTION! 4th District

Do you know there is a first-class
RADIO SUPPLY HOUSE NEAR YOU?
WE ARE DISTRIBUTORS OF HIGH GRADE RADIO APPARATUS WITH THE BEST OF PRICES AND SERVICE

A FEW ITEMS FROM OUR CATALOGUE

FORMICA PANELS	
6 x 9 x 3/16.....	\$1.00
6 x 12 x 3/16.....	1.35
6 x 18 x 3/16.....	2.00
9 x 12 x 3/16.....	2.00
9 x 18 x 3/16.....	2.75
12 x 18 x 3/16.....	3.85
12 x 24 x 3/16.....	5.35

RADIOTRON TUBES & SUPPLIES	
UV-200 Detectors.....	\$5.00
UV-201 Amplifier.....	6.50
UV-202 5 Watt Oscillator.....	8.00
UV-203 50 Watt Oscillator.....	30.00
FADA Rheostats.....	1.00
FADA Power Tube Rheostat.....	1.35
FADA Crystal Detector.....	2.25
Baldwin Type C Phones.....	13.75
Baldwin Type E Phones.....	15.00
Baldwin Type F Phones.....	16.25
Ceco 1/2 x 3/16 N. P. Switch Points, Per Doz.	.35

POSTAGE ADDITIONAL
WRITE FOR OUR CATALOGUE
TRY OUR SERVICE

CARTER ELECTRIC CO.

RADIO DEPT.
63 Peachtree St. Atlanta, Ga.

ATTENTION!

Our STORAGE "B" BATTERIES give years of service without expert attention, saving you REAL money in the end. One charge lasts from two to six months in the detector plate circuit. All batteries shipped complete with rectifiers and full Directions.

Plain batteries with clips for adjustment at the following prices: 32 volts, \$8; 48 volts, \$10; 68 volts, \$12. With control panels 32 volts, \$10; 48 volts, \$12; 68 volts, \$15. Satisfaction guaranteed or money refunded.

KIMLEY ELECTRIC CO.

290 Winslow Ave. Buffalo, N. Y.

- 7:45-7:50 Broadcasting of suppliers of receiving equipment.
7:55-8:03 Tuning for regular evening program.
8:05-9:15 General news, résumé of football games, music and artists.
9:55-10:00 Arlington time.
10:03-10:06 Weather forecast for New York and New Jersey.
10:06-10:07 W. J. Z. Good night.
Friday
10:00-10:15 Résumé of the news of the day, musical selections.
10:55-11:00 Weather forecast for New York and New Jersey.
11:00-11:15 Musical program.
12:00-12:15 Résumé of the news of the day, musical selections.
1:00-1:15 Résumé of the news of the day, musical selections.
2:00-2:05 Musical program.
2:05-2:10 Marine news.
2:10-2:20 Musical program.
3:00-3:15 Résumé of the news of the day, musical selections.
3:55-4:00 Weather forecast for New York and New Jersey.
4:00-4:15 Musical program.
5:00-5:15 Résumé of the news of the day, musical selections.
6:00-6:15 Résumé of the news of the day, musical selections.
7:00-7:30 Man-in-the-moon story.
7:30-7:45 Very soft music in harmony with man-in-moon story.
7:45-7:50 Broadcasting of suppliers of receiving equipment.
7:55-8:03 Tuning for regular evening program.
8:05-9:15 General news, résumé of football games, music and artists.
9:55-10:00 Arlington time.
10:03-10:06 Weather forecast for New York and New Jersey.
10:06-10:07 W. J. Z. Good night.
Saturday
10:00-10:15 Résumé of the news of the day, musical selections.
10:55-11:00 Weather forecast for New York and New Jersey.
11:00-11:15 Musical program.
2:00-5:00 Broadcasting of football game.
7:00-7:45 Miscellaneous program.
7:45-7:50 Broadcasting of suppliers of receiving equipment.
7:55-8:03 Tuning for regular evening program.
8:05-9:15 General news, résumé of football games, music and artists.
9:55-10:00 Arlington time.
10:03-10:06 Weather forecast for New York and New Jersey.
10:06-10:07 W. J. Z. Good night.
Sunday
7:55-8:03 Tuning for regular evening program.
8:05-9:15 General news, music and artists.
9:55-10:00 Arlington time.
10:03-10:06 Weather forecast for New York and New Jersey.
10:06-10:07 W. J. Z. Good night.

World's Record

(Continued from page 503)

there. Mr. Peterson, being a man of business, paid attention to his own affairs. However, a Negro purchasing radio material is apt to create something more than passing interest, and so it was that Mr. Peterson came to inquire of a clerk, one Arnold Fassett.

"I notice we have a new customer, a colored man. Did he give any special reason for buying so much wire? Judging from the amount he bought, I should think

DON'T READ THIS

IF YOU ARE A MILLIONAIRE

Magnet	Wire	per 1/2-lb.	Spool	Enam.
B&S Ga.	S.C.	S.S.		
20 to 24.....	\$.70	\$.85		\$.60
26 to 30.....	1.00	1.40		.70
32 to 36.....	1.50	2.20		.85

For 1-lb. spools add 75% to above prices.
Aerial Wire, 100 ft. 250 ft. 500 ft. 1000 ft.
Stranded 7-22 \$.75 \$1.80 \$3.50 \$6.90
No. 14 solid. .50 1.15 2.00 3.75
VESCO Mounted Amplifying Transformers. \$ 3.45
Detector Panels, Reg. Price \$12.00..... 7.00
Amplifier Panels, Reg. Price \$18.00..... 11.50
Bakelite 1/2" cut to size 1 1/2c per sq. inch.
CW Inductance Wire No. 11 square copper, 50 ft. 75c
Bakelite CW Inductance tube, 6" dia., 7" long..... \$2.00
The famous DRAGON RADIO STORAGE BATTERY, 6v-90amp. 25.00
TRESKO 20,000 meter couplers..... 8.50
We carry a complete stock of all apparatus and make immediate shipments.

Send a stamp for our new literature.

Attractive proposition for dealers.

**WILMINGTON ELECTRICAL
SPECIALTY COMPANY**
705 Adams St., Dept. R, WILMINGTON, DEL.

RADIO

TELEPHONE & TELEGRAPH APPARATUS OF MERIT

K20A Rotary Enclosed Gap.....	\$25.00
K20B Same without motor.....	20.00
K1 Open Rotary Gap.....	16.00
UV200 Radiotron Detectors.....	5.00
UV201 Radiotron Amplifiers.....	6.50
UV202 5-Watt Transmitter.....	8.00

Send 4c for our 55-page Catalog.
Full of illustrations, information
and prices that will prove attractive

KARLOWA RADIO CO.
611 Best Bldg., Rock Island, Ill.

NEW MOTORS

FOR ALL PURPOSES
STANDARD MANUFACTURERS
PROMPT DELIVERY

ALL SIZES UP TO 5 H.P.


We Specialize In Small Motors & Generators

ALL PHASES AND FREQUENCIES IN STOCK AT ALL TIMES
Largest exclusive Mail Order Small Motor dealers in the world.

CHAS. H. JOHNSTON, Box 10, West End, Pittsburgh, Pa.

WIRELESS, TELEPHONE GENERATORS
500 VOLT - 100 WATT - 3400 R.P.M.
FOR MOUNTING MOTOR GENERATOR SETS.

\$28.50
EACH
WRITE FOR
CATALOG



Q. S. T.

We are distributors for all Standard makes of Radio Apparatus and can make Immediate Delivery. Give us a trial and we will give you SERVICE.

APEX RADIO SHOP
1105 W. 69th St. CHICAGO, ILL.

YOU CW MFN LOOK HERE

Manufacturers of
C.W. Inductance Grid Tickler, 32T, No. 10 Cu.
Bakelite Insul. \$6.00
C.W. Chemical Rectifiers, complete, 500 mill-amp.
Cap. 14 jars will handle 1/2 Amp. at 1000 Volts or less. In cabinet \$9.50
200 Watt C.W. Transformer, 110 V.-Prim-600 V. Sec., mounted \$12.00

JONES ELEC. & RADIO MFG. CO.
120 E. Lexington St. Baltimore, Md.

VARIOMETERS \$3.60 each
VARIOCOUPERS 3.00 each

Completely assembled, postpaid anywhere in U. S. A.
Just the thing for that Regenerative Set you wish to construct. Wave length Range 175 to 450 meters, which may be increased to 650 by special condenser to shunt secondary. Specify whether Grid or Plate for Variometer when ordering. Large stock. Immediate delivery. YOUR ORDER IS ON ITS WAY ONE HOUR AFTER IT IS RECEIVED BY US. A postcard will bring our bulletins.
"UNEXCELLED SERVICE"

CITIZEN RADIO SUPPLY COMPANY
Mattson P. O. Box 155 Illinois